3.2 Vertebrate Species of Greatest Conservation Need by Ecological Landscape

This section is divided into two subsections designed to provide readers with information about the Species of Greatest Conservation Need from an Ecological Landscape perspective. First is a listing of all the Species of Greatest Conservation Need with a high, moderate, or low degree of probability of occurring in each Ecological Landscape. Following this is a listing of the ecological priorities *within* each Ecological Landscape.

3.2.1 Vertebrate Species of Greatest Conservation Need occurring in each Ecological Landscape

As was described in 3.1, the Species of Greatest Conservation Need have different probabilities of occurring in different parts of the state. This section of the document presents the vertebrate Species of Greatest Conservation Need occurring within each Ecological Landscape and categorizes them as to whether there is a high, moderate, or low degree of probability of their occurrence.

The following table summarizes the distribution of Species of Greatest Conservation Need by Ecological Landscape:

Table 3-6. Summary of Species of Greatest Conservation Need by Ecological Landscape

| | | Number of Species of Greatest | | | |
|--------------------------------|--------------|-------------------------------|-----------------|----------------|---------------------|
| | | ervation Need v | | | |
| | | High Degree | | Low Degree | <i>Total</i> number |
| | | of Probability | | of Probability | of Species of |
| | | of Occurring | Probability of | of Occurring | Greatest |
| Ecological Landscapes | | in this | Occurring in | in this | Conservation |
| | | Ecological | this Ecological | Ecological | Need in this |
| | | Landscape | Landscape | Landscape | Ecological |
| | | | | | Landscape |
| Superior Coastal Plain | (Page 3-304) | 43 | 16 | 18 | 77 |
| Northwest Lowlands | (Page 3-305) | 26 | 19 | 27 | 72 |
| Northwest Sands | (Page 3-306) | 42 | 24 | 20 | 86 |
| North Central Forest | (Page 3-307) | 36 | 15 | 29 | 80 |
| Northern Highland | (Page 3-308) | 32 | 17 | 24 | 73 |
| Forest Transition | (Page 3-309) | 32 | 34 | 18 | 84 |
| Northeast Sands | (Page 3-310) | 22 | 15 | 34 | 71 |
| Northern Lake Michigan Coastal | (Page 3-311) | 50 | 30 | 8 | 88 |
| Central Lake Michigan Coastal | (Page 3-313) | 34 | 41 | 15 | 90 |
| Western Prairie | (Page 3-314) | 27 | 31 | 29 | 87 |
| Western Coulee and Ridges | (Page 3-315) | 60 | 19 | 26 | 105 |
| Southwest Savanna | (Page 3-317) | 22 | 20 | 24 | 66 |
| Central Sand Plains | (Page 3-318) | 42 | 35 | 18 | 95 |
| Central Sand Hills | (Page 3-320) | 42 | 26 | 23 | 91 |
| Southeast Glacial Plain | (Page 3-321) | 62 | 28 | 14 | 104 |
| Southern Lake Michigan Coastal | (Page 3-323) | 23 | 23 | 29 | 75 |

Starting on the following page are the lists of Species of Greatest Conservation Need within each Ecological Landscape. As with the previous sections, the Ecological Landscapes are organized starting in the northwest part of the state and working southeast; first north of the tension zone, then south.

Table. 3-7. Vertebrate Species of Greatest Conservation Need occurring in the Superior Coastal Plain

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|--|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammais | Gray Wolf | Moose | |
| | Northern Flying Squirrel | Silver-haired Bat | |
| | Woodland Jumping Mouse | Eastern Red Bat | |
| | Water Shrew | Hoary Bat | |
| | Franklin's Ground Squirrel | American Marten | |
| 5 | | Northern Long-eared Bat | |
| Birds | Horned Grebe | Canvasback | American Black Duck |
| | American Bittern | Sharp-tailed Grouse | Osprey |
| | Trumpeter Swan | Yellow Rail | Red-shouldered Hawk |
| | Blue-winged Teal | Solitary Sandpiper | Caspian Tern |
| | Lesser Scaup | Hudsonian Godwit | Yellow-billed Cuckoo |
| | Bald Eagle | Black-backed Woodpecker | Whip-poor-will |
| | Northern Harrier | Olive-sided Flycatcher | Red-headed Woodpecker |
| | Peregrine Falcon | Rusty Blackbird | Willow Flycatcher |
| | American Golden Plover | Red Crossbill | Loggerhead Shrike |
| | Piping Plover | | Connecticut Warbler |
| | Upland Sandpiper | | Dickcissel |
| | Whimbrel | | Field Sparrow |
| | Marbled Godwit | | Vesper Sparrow |
| | Dunlin | | Grasshopper Sparrow |
| | Buff-breasted Sandpiper | | Henslow's Sparrow |
| | Short-billed Dowitcher | | Western Meadowlark |
| | American Woodcock | | |
| | Common Tern | | |
| | Black Tern | | |
| | Black-billed Cuckoo | | |
| | Least Flycatcher | | |
| | Veery | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Golden-winged Warbler | | |
| | Black-throated Blue Warbler | | |
| | Canada Warbler | | |
| | Le Conte's Sparrow | | |
| | Bobolink | | |
| | Eastern Meadowlark | | |
| Herptiles | Wood Turtle | | Blanding's Turtle |
| | Four-toed Salamander | 1 | |
| | Mudpuppy | | |
| | Boreal Chorus Frog | | |
| | Mink Frog | | |
| Fishes | Lake Sturgeon | Pickerel Frog | American Eel |
| 1 10/100 | Kiyi | | |
| | Shortjaw Cisco | | |
| | Onorgaw Olsco | | |

Table. 3-8. Vertebrate Species of Greatest Conservation Need occurring in the Northwest Lowlands

| 1 4010. 5-0 | Species with a high degree | Species with a moderate degree | Species with a low degree of |
|-------------|-----------------------------------|-------------------------------------|-------------------------------------|
| | of probability of occurring in | of probability of occurring in this | probability of occurring in this |
| | this Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | | Moose | Franklin's Ground Squirrel |
| | Northern Flying Squirrel | Silver-haired Bat | |
| | Woodland Jumping Mouse | Eastern Red Bat | |
| | Water Shrew | Hoary Bat | |
| | | American Marten | |
| | | Northern Long-eared Bat | |
| Birds | American Bittern | Blue-winged Teal | Horned Grebe |
| | Northern Harrier | Osprey | Trumpeter Swan |
| | American Woodcock | Northern Goshawk | Canvasback |
| | Black-billed Cuckoo | Solitary Sandpiper | Lesser Scaup |
| | Black-backed Woodpecker | Black Tern | Bald Eagle |
| | Olive-sided Flycatcher | Boreal Chickadee | Red-shouldered Hawk |
| | Least Flycatcher | Wood Thrush | Spruce Grouse |
| | Veery | Bobolink | American Golden Plover |
| | Brown Thrasher | Rusty Blackbird | Whimbrel |
| | Golden-winged Warbler | Red Crossbill | Hudsonian Godwit |
| | Louisiana Waterthrush | | Marbled Godwit |
| | Connecticut Warbler | | Dunlin |
| | Canada Warbler | | Short-billed Dowitcher |
| | Le Conte's Sparrow | | Yellow-billed Cuckoo |
| | | | Whip-poor-will |
| | | | Willow Flycatcher |
| | | | Blue-winged Warbler |
| | | | Black-throated Blue Warbler |
| | | | Field Sparrow |
| | | | Vesper Sparrow |
| | | | Grasshopper Sparrow |
| | | | Henslow's Sparrow |
| | | | Nelson's Sharp-tailed Sparrow |
| | | | Eastern Meadowlark |
| | | | Western Meadowlark |
| Herptiles | Wood Turtle | Mudpuppy | Blanding's Turtle |
| | Four-toed Salamander | Pickerel Frog | |
| | Boreal Chorus Frog | | |
| | Mink Frog | | |
| Fishes | Lake Sturgeon | Longear Sunfish | |
| | River Redhorse | | |
| | Greater Redhorse | | |
| | Gilt Darter | | |

Table. 3-9. Vertebrate Species of Greatest Conservation Need occurring in the Northwest Sands

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|--------------|--|--|---|
| Mammals | Gray Wolf | Woodland Jumping Mouse | Moose |
| | Northern Flying Squirrel | 1 0 | Silver-haired Bat |
| | Water Shrew | | Eastern Red Bat |
| | Franklin's Ground Squirrel | | Hoary Bat |
| | The second of th | | Northern Long-eared Bat |
| | | | White-tailed Jackrabbit |
| | | | Prairie Vole |
| Birds | American Bittern | Red-necked Grebe | Horned Grebe |
| | Trumpeter Swan | Canvasback | American Black Duck |
| | Blue-winged Teal | Northern Goshawk | Spruce Grouse |
| | Lesser Scaup | Red-shouldered Hawk | Whimbrel |
| | Osprey | American Golden Plover | Yellow-billed Cuckoo |
| | Bald Eagle | Solitary Sandpiper | Willow Flycatcher |
| | Northern Harrier | Hudsonian Godwit | Boreal Chickadee |
| | Sharp-tailed Grouse | Marbled Godwit | Loggerhead Shrike |
| | Yellow Rail | Dunlin | Black-throated Blue Warbler |
| | Upland Sandpiper | Wilson's Phalarope | Kirtland's Warbler |
| | Short-billed Dowitcher | Olive-sided Flycatcher | Dickcissel |
| | American Woodcock | Wood Thrush | Henslow's Sparrow |
| | Black Tern | Blue-winged Warbler | Western Meadowlark |
| | Black-billed Cuckoo | Canada Warbler | Troctom modeoman |
| | Whip-poor-will | Grasshopper Sparrow | |
| | Red-headed Woodpecker | Eastern Meadowlark | |
| | Black-backed Woodpecker | Rusty Blackbird | |
| | Least Flycatcher | The state of the s | |
| | Veery | | |
| | Brown Thrasher | | |
| | Golden-winged Warbler | | |
| | Connecticut Warbler | | |
| | Field Sparrow | | |
| | Vesper Sparrow | | |
| | Le Conte's Sparrow | | |
| | Nelson's Sharp-tailed Sparrow | | |
| | Bobolink | | |
| | Red Crossbill | | |
| Herptiles | Wood Turtle | Four-toed Salamander | |
| ierhilles | | | |
| | Boreal Chorus Frog | Mink Frog | |
| | Blanding's Turtle | Mudpuppy Dickoral From | |
| | Northern Prairie Skink | Pickerel Frog | |
| - ··· | Bullsnake | | |
| Fishes | River Redhorse | Lake Sturgeon | |
| | Greater Redhorse | Gilt Darter | |
| | Least Darter | | |
| | Banded Killifish | | |
| | Pugnose Shiner | | |

Table 3-10. Vertebrate Species of Greatest Conservation Need occurring in the North Central Forest

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|-----------|--|--|---|
| Mammals | Gray Wolf | Moose | |
| | Northern Flying Squirrel | Eastern Red Bat | |
| | Water Shrew | Northern Long-eared Bat | |
| | Woodland Jumping Mouse | | |
| | Silver-haired Bat | | |
| | Hoary Bat | | |
| | American Marten | | |
| Birds | American Bittern | Canvasback | Horned Grebe |
| | Trumpeter Swan | Sharp-tailed Grouse | American Black Duck |
| | Lesser Scaup | Solitary Sandpiper | Blue-winged Teal |
| | Osprey | Black Tern | American Golden Plover |
| | Bald Eagle | Brown Thrasher | Upland Sandpiper |
| | Northern Harrier | Cerulean Warbler | Whimbrel |
| | Northern Goshawk | Connecticut Warbler | Hudsonian Godwit |
| | Red-shouldered Hawk | Bobolink | Marbled Godwit |
| | Spruce Grouse | Rusty Blackbird | Dunlin |
| | American Woodcock | | Short-billed Dowitcher |
| | Black-billed Cuckoo | | Yellow-billed Cuckoo |
| | Whip-poor-will | | Red-headed Woodpecker |
| | Black-backed Woodpecker | | Willow Flycatcher |
| | Olive-sided Flycatcher | | Loggerhead Shrike |
| | Least Flycatcher | | Louisiana Waterthrush |
| | Boreal Chickadee | | Dickcissel |
| | Veery | | Field Sparrow |
| | Wood Thrush | | Vesper Sparrow |
| | Golden-winged Warbler | | Grasshopper Sparrow |
| | Black-throated Blue Warbler | | Henslow's Sparrow |
| | Canada Warbler | | Eastern Meadowlark |
| | Red Crossbill | | Western Meadowlark |
| Herptiles | Wood Turtle | Mudpuppy | Blanding's Turtle |
| · | Boreal Chorus Frog | Pickerel Frog | |
| | Four-toed Salamander | | |
| | Mink Frog | | |
| Fishes | Lake Sturgeon | Greater Redhorse | Least Darter |
| | Gilt Darter | | Banded Killifish |
| | Longear Sunfish | | Pugnose Shiner |
| | <u> </u> | | Kiyi |
| | | | Shortjaw Cisco |
| | | | Redside Dace |

Table 3-11. Vertebrate Species of Greatest Conservation Need occurring in the Northern Highland

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|-----------|--|--|---|
| Mammals | Gray Wolf | Moose | Silver-haired Bat |
| | Northern Flying Squirrel | Eastern Red Bat | Hoary Bat |
| | Water Shrew | | American Marten |
| | Woodland Jumping Mouse | | Northern Long-eared Bat |
| Birds | Lesser Scaup | American Bittern | Horned Grebe |
| | Osprey | Blue-winged Teal | Trumpeter Swan |
| | Bald Eagle | Canvasback | American Black Duck |
| | Northern Goshawk | Northern Harrier | Red-shouldered Hawk |
| | Spruce Grouse | Yellow Rail | Upland Sandpiper |
| | American Golden Plover | Solitary Sandpiper | Whimbrel |
| | Short-billed Dowitcher | Dunlin | Hudsonian Godwit |
| | American Woodcock | Buff-breasted Sandpiper | Marbled Godwit |
| | Black Tern | Wood Thrush | Black-billed Cuckoo |
| | Whip-poor-will | Field Sparrow | Yellow-billed Cuckoo |
| | Black-backed Woodpecker | Nelson's Sharp-tailed Sparrow | Red-headed Woodpecker |
| | Olive-sided Flycatcher | Rusty Blackbird | Willow Flycatcher |
| | Least Flycatcher | | Kirtland's Warbler |
| | Boreal Chickadee | | Grasshopper Sparrow |
| | Veery | | Henslow's Sparrow |
| | Brown Thrasher | | Bobolink |
| | Golden-winged Warbler | | Eastern Meadowlark |
| | Black-throated Blue Warbler | | Western Meadowlark |
| | Connecticut Warbler | | |
| | Canada Warbler | | |
| | Vesper Sparrow | | |
| | Red Crossbill | | |
| Herptiles | Wood Turtle | Mudpuppy | Boreal Chorus Frog |
| | Four-toed Salamander | | |
| | Mink Frog | | |
| Fishes | Longear Sunfish | Lake Sturgeon | Banded Killifish |
| | Greater Redhorse | Least Darter | |
| | Pugnose Shiner | | |

Table 3-12 Vertebrate Species of Greatest Conservation Need occurring in the Forest Transition

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this | |
|-----------|---|---|--|--|
| | | | , | |
| | Ecological Landscape | Ecological Landscape | Ecological Landscape | |
| Mammals | Eastern Red Bat | Gray Wolf | American Marten | |
| | | Northern Flying Squirrel | Prairie Vole | |
| | | Water Shrew | | |
| | | Woodland Jumping Mouse | | |
| | | Silver-haired Bat | | |
| | | Hoary Bat | | |
| | | Northern Long-eared Bat | | |
| | | Franklin's Ground Squirrel | | |
| | | Woodland Vole | | |
| Birds | American Bittern | Canvasback | Horned Grebe | |
| | Trumpeter Swan | Northern Goshawk | Whimbrel | |
| | Blue-winged Teal | Yellow Rail | Marbled Godwit | |
| | Lesser Scaup | Solitary Sandpiper | Barn Owl | |
| | Osprey | Upland Sandpiper | Short-eared Owl | |
| | Bald Eagle | Hudsonian Godwit | Black-backed Woodpecker | |
| | Northern Harrier | Dunlin | Olive-sided Flycatcher | |
| | Red-shouldered Hawk | Buff-breasted Sandpiper | Willow Flycatcher | |
| | Greater Prairie-Chicken | Yellow-billed Cuckoo | Loggerhead Shrike | |
| | American Golden Plover | Acadian Flycatcher | Red Crossbill | |
| | Short-billed Dowitcher | Blue-winged Warbler | | |
| | American Woodcock | Cerulean Warbler | | |
| | Black Tern | Louisiana Waterthrush | | |
| | Black-billed Cuckoo | Hooded Warbler | | |
| | Whip-poor-will | Canada Warbler | | |
| | Red-headed Woodpecker | Dickcissel | | |
| | Least Flycatcher | Grasshopper Sparrow | | |
| | Veery | Henslow's Sparrow | | |
| | Wood Thrush | Le Conte's Sparrow | | |
| | Brown Thrasher | Western Meadowlark | | |
| | Golden-winged Warbler | Rusty Blackbird | | |
| | Black-throated Blue Warbler | | | |
| | Field Sparrow | | | |
| | Vesper Sparrow | | | |
| | Bobolink | | | |
| | Eastern Meadowlark | | | |
| Herptiles | Wood Turtle | Mudpuppy | Mink Frog | |
| • | Four-toed Salamander | Pickerel Frog | Blanding's Turtle | |
| | | Northern Prairie Skink | Ĭ | |
| Fishes | Redfin Shiner | Redside Dace | Lake Sturgeon | |
| | Black Redhorse | | Least Darter | |
| | Ozark Minnow | | River Redhorse | |
| | | <u> </u> | Lake Chubsucker | |

Table 3-13. Vertebrate Species of Greatest Conservation Need occurring in the Northeast Sands

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|-----------|--|--|---|
| Mammals | Northern Flying Squirrel | Gray Wolf | Eastern Red Bat |
| | Water Shrew | Woodland Jumping Mouse | Silver-haired Bat |
| | | , , | Hoary Bat |
| | | | Northern Long-eared Bat |
| | | | Moose |
| Birds | Osprey | American Bittern | Horned Grebe |
| | Bald Eagle | Northern Harrier | Trumpeter Swan |
| | American Woodcock | Northern Goshawk | Blue-winged Teal |
| | Black-billed Cuckoo | Red-shouldered Hawk | Canvasback |
| | Whip-poor-will | Sharp-tailed Grouse | Lesser Scaup |
| | Red-headed Woodpecker | Solitary Sandpiper | Spruce Grouse |
| | Least Flycatcher | Upland Sandpiper | American Golden Plover |
| | Veery | Canada Warbler | Whimbrel |
| | Wood Thrush | Lark Sparrow | Hudsonian Godwit |
| | Brown Thrasher | Rusty Blackbird | Marbled Godwit |
| | Golden-winged Warbler | | Dunlin |
| | Field Sparrow | | Short-billed Dowitcher |
| | Vesper Sparrow | | Black Tern |
| | Grasshopper Sparrow | | Yellow-billed Cuckoo |
| | Bobolink | | Black-backed Woodpecker |
| | Red Crossbill | | Olive-sided Flycatcher |
| | | | Willow Flycatcher |
| | | | Boreal Chickadee |
| | | | Loggerhead Shrike |
| | | | Blue-winged Warbler |
| | | | Black-throated Blue Warbler |
| | | | Kirtland's Warbler |
| | | | Dickcissel |
| | | | Henslow's Sparrow |
| | | | Eastern Meadowlark |
| | | | Western Meadowlark |
| Herptiles | Wood Turtle | Four-toed Salamander | Northern Ribbon Snake |
| • | Mudpuppy | Pickerel Frog | |
| | Mink Frog | Blanding's Turtle | |
| Fishes | Lake Sturgeon | | Greater Redhorse |
| | | 1 | Western Sand Darter |

Table 3-14. Vertebrate Species of Greatest Conservation Need occurring in the Northern Lake Michigan Coastal

| | Timeingun coustur | | |
|---------|--------------------------------------|---------------------------------------|-------------------------------------|
| | Species with a high degree of | Species with a moderate degree | Species with a low degree of |
| | probability of occurring in this | of probability of occurring in this | probability of occurring in this |
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | Northern Flying Squirrel | Gray Wolf | Woodland Vole |
| | Water Shrew | Woodland Jumping Mouse | |
| | | Eastern Red Bat | |
| | | Silver-haired Bat | |
| | | Hoary Bat | |
| | | Northern Long-eared Bat | |
| Birds | Horned Grebe | American Bittern | Trumpeter Swan |
| | Great Egret | Snowy Egret | American Black Duck |
| | Blue-winged Teal | Yellow Rail | Redhead |
| | Canvasback | Piping Plover | Louisiana Waterthrush |
| | Lesser Scaup | Solitary Sandpiper | |
| | Osprey | Marbled Godwit | |
| | Bald Eagle | Buff-breasted Sandpiper | |
| | Northern Harrier | Yellow-billed Cuckoo | |
| | Northern Goshawk | Loggerhead Shrike | |
| | Red-shouldered Hawk | Blue-winged Warbler | |
| | Peregrine Falcon | Golden-winged Warbler | |
| | American Golden Plover | Dickcissel | |
| | Upland Sandpiper | Grasshopper Sparrow | |
| | Whimbrel | Henslow's Sparrow | |
| | Hudsonian Godwit | Western Meadowlark | |
| | Dunlin | Rusty Blackbird | |
| | Short-billed Dowitcher | | |
| | American Woodcock | | |
| | Caspian Tern | | |
| | Common Tern | | |
| | Forster's Tern | | |
| | Black Tern | | |
| | Black-billed Cuckoo | | |
| | Whip-poor-will | | |
| | Red-headed Woodpecker | | |
| | Olive-sided Flycatcher | | |
| | Willow Flycatcher | | |
| | Least Flycatcher | | |
| | Veery | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Black-throated Blue Warbler | | † |
| | Canada Warbler | 1 | 1 |
| | Field Sparrow | | |
| | Vesper Sparrow | | 1 |
| | Bobolink | | 1 |
| | Eastern Meadowlark | <u> </u> | |
| | Lasiciii wcauowiaik | | |

Table 3-14 continued

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Herptiles | Wood Turtle | Four-toed Salamander | Northern Ribbon Snake |
| | Mudpuppy | Pickerel Frog | |
| | Mink Frog | Blanding's Turtle | |
| Fishes | Lake Sturgeon | Greater Redhorse | American Eel |
| | Shoal Chub (Speckled Chub) | Western Sand Darter | Skipjack Herring |
| | Banded Killifish | Redfin Shiner | |
| | | Longear Sunfish | |
| | | Pugnose Shiner | |

Table 3-15. Vertebrate Species of Greatest Conservation Need occurring in the Central Lake Michigan Coastal

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | | Eastern Red Bat | Northern Flying Squirrel |
| | | Silver-haired Bat | Water Shrew |
| | | Hoary Bat | Woodland Jumping Mouse |
| | | Northern Long-eared Bat | Woodland Vole |
| | | | Prairie Vole |
| Birds | Horned Grebe | American Bittern | Trumpeter Swan |
| | Great Egret | Snowy Egret | Redhead |
| | Blue-winged Teal | Yellow-crowned Night-Heron | Red-shouldered Hawk |
| | Lesser Scaup | Canvasback | Red Crossbill |
| | Osprey | Bald Eagle | |
| | Northern Harrier | King Rail | |
| | Peregrine Falcon | American Golden Plover | |
| | Upland Sandpiper | Piping Plover | |
| | Whimbrel | Solitary Sandpiper | |
| | Hudsonian Godwit | Marbled Godwit | |
| | Dunlin | Buff-breasted Sandpiper | |
| | Short-billed Dowitcher | Wilson's Phalarope | |
| | American Woodcock | Caspian Tern | |
| | Common Tern | Yellow-billed Cuckoo | |
| | Forster's Tern | Short-eared Owl | |
| | Black Tern | Whip-poor-will | |
| | Black-billed Cuckoo | Acadian Flycatcher | |
| | Red-headed Woodpecker | Loggerhead Shrike | |
| | Willow Flycatcher | Blue-winged Warbler | |
| | Least Flycatcher | Golden-winged Warbler | |
| | Veery | Black-throated Blue Warbler | |
| | Wood Thrush | Hooded Warbler | |
| | Brown Thrasher | Canada Warbler | |
| | Cerulean Warbler | Grasshopper Sparrow | |
| | Prothonotary Warbler | Henslow's Sparrow | |
| | Dickcissel | Western Meadowlark | |
| | Field Sparrow | Rusty Blackbird | |
| | Vesper Sparrow | | |
| | Bobolink | | |
| | Eastern Meadowlark | | |
| Herptiles | Mudpuppy | Wood Turtle | Blanchard's Cricket Frog |
| • | Four-toed Salamander | Pickerel Frog | Queen Snake |
| | Northern Ribbon Snake | Blanding's Turtle | |
| | | Butler's Garter Snake | |
| Fishes | Lake Sturgeon | Banded Killifish | American Eel |
| 1 131153 | Lano Oldigoon | Greater Redhorse | Skipjack Herring |
| | | Western Sand Darter | Least Darter |
| | | Redside Dace | Lake Chubsucker |
| | | Shoal Chub (Speckled Chub) | Lake Ollubbuckel |
| 1 | | River Redhorse | |
| | | IZIVEL IZEULUISE | |

Table 3-16. Vertebrate Species of Greatest Conservation Need occurring in the Western Prairie

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | | Prairie Vole | Eastern Red Bat |
| | | Franklin's Ground Squirrel | Silver-haired Bat |
| | | White-tailed Jackrabbit | Hoary Bat |
| | | | Northern Long-eared Bat |
| | | | Water Shrew |
| | | | Woodland Vole |
| | | | Gray Wolf |
| Birds | Trumpeter Swan | Red-necked Grebe | Horned Grebe |
| | Blue-winged Teal | American Bittern | Osprey |
| | Northern Harrier | Great Egret | Bald Eagle |
| | Marbled Godwit | Canvasback | Red-shouldered Hawk |
| | Short-billed Dowitcher | Lesser Scaup | Whooping Crane |
| | Red-headed Woodpecker | King Rail | Whimbrel |
| | Willow Flycatcher | American Golden Plover | Black-billed Cuckoo |
| | Least Flycatcher | Solitary Sandpiper | Yellow-billed Cuckoo |
| | Wood Thrush | Upland Sandpiper | Barn Owl |
| | Brown Thrasher | Hudsonian Godwit | Whip-poor-will |
| | Loggerhead Shrike | Dunlin | Acadian Flycatcher |
| | Blue-winged Warbler | Buff-breasted Sandpiper | Bell's Vireo |
| | Prothonotary Warbler | American Woodcock | Golden-winged Warbler |
| | Dickcissel | Black Tern | Black-throated Blue Warbler |
| | Field Sparrow | Short-eared Owl | Hooded Warbler |
| | Vesper Sparrow | Veery | Canada Warbler |
| | Grasshopper Sparrow | Cerulean Warbler | |
| | Henslow's Sparrow | Louisiana Waterthrush | |
| | Bobolink | Le Conte's Sparrow | |
| | Eastern Meadowlark | Rusty Blackbird | |
| | Western Meadowlark | | |
| Herptiles | Wood Turtle | Mudpuppy | Four-toed Salamander |
| | Blanding's Turtle | Pickerel Frog | Bullsnake |
| | Northern Prairie Skink | Yellow-bellied Racer | |
| | Six-lined Racerunner | | |
| | Timber Rattlesnake | | |
| Fishes | Crystal Darter | Lake Sturgeon | American Eel |
| | | Greater Redhorse | Goldeye |
| | | Western Sand Darter | Black Buffalo |
| | | River Redhorse | Paddlefish |
| | | Blue Sucker | |

Table 3-17. Vertebrate Species of Greatest Conservation Need occurring in the Western Coulee and Ridges

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|---------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | Northern Long-eared Bat | Prairie Vole | White-tailed Jackrabbit |
| | | Franklin's Ground Squirrel | Water Shrew |
| | | Eastern Red Bat | Gray Wolf |
| | | Silver-haired Bat | † ′ |
| | | Hoary Bat | |
| | | Woodland Vole | |
| Birds | Great Egret | Osprey | Horned Grebe |
| | Yellow-crowned Night-Heron | King Rail | American Bittern |
| | Blue-winged Teal | Whooping Crane | Trumpeter Swan |
| | Canvasback | American Golden Plover | Redhead |
| | Lesser Scaup | Solitary Sandpiper | Whimbrel |
| | Bald Eagle | Upland Sandpiper | Hudsonian Godwit |
| | Northern Harrier | Buff-breasted Sandpiper | Marbled Godwit |
| | Red-shouldered Hawk | Black Tern | Dunlin |
| | Peregrine Falcon | Short-eared Owl | Forster's Tern |
| | Northern Bobwhite | Yellow-throated Warbler | Barn Owl |
| | Short-billed Dowitcher | Tonow unodica warbioi | Loggerhead Shrike |
| | American Woodcock | _ | Golden-winged Warbler |
| | Black-billed Cuckoo | <u> </u> | Black-throated Blue Warbler |
| | Yellow-billed Cuckoo | | Canada Warbler |
| | Whip-poor-will | | Le Conte's Sparrow |
| | Red-headed Woodpecker | | Red Crossbill |
| | Acadian Flycatcher | <u> </u> | red Grossom |
| | Willow Flycatcher | <u> </u> | |
| | Least Flycatcher | | |
| | Veery | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Bell's Vireo | | |
| | Blue-winged Warbler | | |
| | Cerulean Warbler | | |
| | Prothonotary Warbler | + | |
| | Worm-eating Warbler | 1 | <u> </u> |
| | Louisiana Waterthrush | + | 1 |
| | Kentucky Warbler | + | 1 |
| | Hooded Warbler | + | |
| | Dickcissel | + | + |
| | Field Sparrow | 1 | |
| | Vesper Sparrow | 1 | |
| | Lark Sparrow | + | 1 |
| | Grasshopper Sparrow | + | + |
| | Henslow's Sparrow | + | † |
| | Bobolink | | + |
| | Eastern Meadowlark | + | + |
| 1 | Western Meadowlark | + | |
| l. | | | _ |

Table 3-17 continued

| | Species with a high degree of | Species with a moderate degree | Species with a low degree of |
|-----------|----------------------------------|-------------------------------------|-------------------------------------|
| | probability of occurring in this | of probability of occurring in this | probability of occurring in this |
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Herptiles | Wood Turtle | Pickerel Frog | Four-toed Salamander |
| | Blanding's Turtle | Yellow-bellied Racer | Bullsnake |
| | Northern Prairie Skink | | |
| | Six-lined Racerunner | | |
| | Timber Rattlesnake | | |
| Fishes | Crystal Darter | Gilt Darter | American Eel |
| | Lake Sturgeon | | Skipjack Herring |
| | Western Sand Darter | | Least Darter |
| | River Redhorse | | Lake Chubsucker |
| | Blue Sucker | | Redfin Shiner |
| | Goldeye | | |
| | Black Buffalo | | |
| | Paddlefish | | |
| | Redside Dace | | |
| | Ozark Minnow | | |
| | Bluntnose Darter | | |
| | Starhead Topminnow | | |
| | Shoal Chub (Speckled Chub) | | |
| | Pallid Shiner | | |

Table 3-18. Vertebrate Species of Greatest Conservation Need occurring in the Southwest Savanna

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | | Franklin's Ground Squirrel | Silver-haired Bat |
| | | Northern Long-eared Bat | Hoary Bat |
| | | Prairie Vole | Water Shrew |
| | | Eastern Red Bat | White-tailed Jackrabbit |
| | | Woodland Vole | |
| Birds | Northern Bobwhite | Blue-winged Teal | Horned Grebe |
| | Upland Sandpiper | Northern Harrier | Canvasback |
| | Short-eared Owl | American Golden Plover | Lesser Scaup |
| | Red-headed Woodpecker | Solitary Sandpiper | Bald Eagle |
| | Willow Flycatcher | Buff-breasted Sandpiper | Red-shouldered Hawk |
| | Brown Thrasher | Black-billed Cuckoo | Whimbrel |
| | Bell's Vireo | Yellow-billed Cuckoo | Hudsonian Godwit |
| | Dickcissel | Wood Thrush | Marbled Godwit |
| | Field Sparrow | Loggerhead Shrike | Dunlin |
| | Vesper Sparrow | Blue-winged Warbler | Short-billed Dowitcher |
| | Grasshopper Sparrow | Rusty Blackbird | American Woodcock |
| | Henslow's Sparrow | | Barn Owl |
| | Bobolink | | Whip-poor-will |
| | Eastern Meadowlark | | Acadian Flycatcher |
| | Western Meadowlark | | Least Flycatcher |
| | | | Black-throated Blue Warbler |
| Herptiles | Blanding's Turtle | Bullsnake | Mudpuppy |
| | Ornate Box Turtle | Timber Rattlesnake | Black Rat Snake |
| | Pickerel Frog | | |
| | Yellow-bellied Racer | | |
| | Prairie Ringneck Snake | | |
| | Blanchard's Cricket Frog | | |
| Fishes | Slender Madtom | Ozark Minnow | Black Buffalo |
| | | Gravel Chub | Redside Dace |

Table 3-19. Vertebrate Species of Greatest Conservation Need occurring in the Central Sand Plains

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|---------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | Franklin's Ground Squirrel | Northern Long-eared Bat | Woodland Vole |
| | Gray Wolf | Prairie Vole | Northern Flying Squirrel |
| | | Eastern Red Bat | Woodland Jumping Mouse |
| | | Silver-haired Bat | |
| | | Hoary Bat | |
| | | White-tailed Jackrabbit | |
| | | Water Shrew | |
| Birds | American Bittern | Red-necked Grebe | Horned Grebe |
| | Trumpeter Swan | Canvasback | Northern Bobwhite |
| | Blue-winged Teal | Northern Goshawk | Whimbrel |
| | Lesser Scaup | Sharp-tailed Grouse | Marbled Godwit |
| | Osprey | Yellow Rail | Barn Owl |
| | Bald Eagle | King Rail | Black-backed Woodpecker |
| | Northern Harrier | American Golden Plover | Olive-sided Flycatcher |
| | Red-shouldered Hawk | Solitary Sandpiper | Acadian Flycatcher |
| | Greater Prairie-Chicken | Hudsonian Godwit | Loggerhead Shrike |
| | Whooping Crane | Dunlin | Black-throated Blue Warbler |
| | Upland Sandpiper | Wilson's Phalarope | Kirtland's Warbler |
| | Short-billed Dowitcher | Cerulean Warbler | |
| | American Woodcock | Louisiana Waterthrush | |
| | Black Tern | Connecticut Warbler | |
| | Black-billed Cuckoo | Canada Warbler | |
| | Yellow-billed Cuckoo | Lark Sparrow | |
| | Short-eared Owl | Le Conte's Sparrow | |
| | Whip-poor-will | Rusty Blackbird | |
| | Red-headed Woodpecker | Red Crossbill | |
| | Willow Flycatcher | | |
| | Least Flycatcher | | |
| | Veery | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Blue-winged Warbler | | |
| | Golden-winged Warbler | | |
| | Prothonotary Warbler | | |
| | Dickcissel | | |
| | Field Sparrow | | |
| | Vesper Sparrow | | |
| | Grasshopper Sparrow | | |
| | Henslow's Sparrow | | |
| | Bobolink | | |
| | Eastern Meadowlark | | <u> </u> |
| | Western Meadowlark | <u> </u> | <u> </u> |

Table 3-19 continued

| | Species with a high degree of probability of occurring in this | Species with a moderate degree of probability of occurring in this | Species with a low degree of probability of occurring in this |
|-----------|---|---|--|
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Herptiles | Wood Turtle | Pickerel Frog | Ornate Box Turtle |
| | Blanding's Turtle | Yellow-bellied Racer | Western Ribbon Snake |
| | Western Slender Glass Lizard | Four-toed Salamander | |
| | Mudpuppy | Bullsnake | |
| | | Midland Smooth Softshell Turtle | |
| | | Prairie Ringneck Snake | |
| | | Eastern Massasauga Rattlesnake | - |
| Fishes | Lake Sturgeon | Western Sand Darter | Redside Dace |
| | | River Redhorse | Redfin Shiner |

Table 3-20. Vertebrate Species of Greatest Conservation Need occurring in the Central Sand Hills

| | Species with a high degree of | Species with a moderate degree | |
|------------|--------------------------------------|-------------------------------------|----------------------------------|
| | probability of occurring in this | of probability of occurring in this | probability of occurring in this |
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Mammals | Franklin's Ground Squirrel | Gray Wolf | Woodland Vole |
| | | Northern Long-eared Bat | Northern Flying Squirrel |
| | | Prairie Vole | Woodland Jumping Mouse |
| | | Eastern Red Bat | |
| | | Silver-haired Bat | |
| | | Hoary Bat | |
| | | Water Shrew | |
| Birds | American Bittern | Osprey | Horned Grebe |
| | Blue-winged Teal | Northern Goshawk | Trumpeter Swan |
| | Bald Eagle | Yellow Rail | Canvasback |
| | Northern Harrier | American Golden Plover | Lesser Scaup |
| | Red-shouldered Hawk | Solitary Sandpiper | Greater Prairie-Chicken |
| | Northern Bobwhite | Upland Sandpiper | Whimbrel |
| | Whooping Crane | Hudsonian Godwit | Marbled Godwit |
| | Short-billed Dowitcher | Dunlin | Buff-breasted Sandpiper |
| | American Woodcock | Short-eared Owl | Barn Owl |
| | Forster's Tern | Golden-winged Warbler | Loggerhead Shrike |
| | Black Tern | Lark Sparrow | Black-throated Blue Warbler |
| | Black-billed Cuckoo | Le Conte's Sparrow | Prothonotary Warbler |
| | Yellow-billed Cuckoo | Rusty Blackbird | Canada Warbler |
| | Whip-poor-will | Red Crossbill | |
| | Red-headed Woodpecker | 1.00 0.0000 | |
| | Acadian Flycatcher | | |
| | Willow Flycatcher | | |
| | Least Flycatcher | | |
| | Veery | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Blue-winged Warbler | | |
| | Cerulean Warbler | | |
| | Dickcissel | | |
| | | | |
| | Field Sparrow | | |
| | Vesper Sparrow | | |
| | Grasshopper Sparrow | | |
| | Henslow's Sparrow | | |
| | Bobolink | | |
| | Eastern Meadowlark | | |
| Laws Cl | Western Meadowlark | Diakanal Fra | Mand Turkle |
| Herptiles | Blanding's Turtle | Pickerel Frog | Wood Turtle |
| | Western Slender Glass Lizard | Yellow-bellied Racer | Mudpuppy |
| | Midland Smooth Softshell Turtle | Four-toed Salamander | Eastern Massasauga Rattlesnak |
| - · | Ornate Box Turtle | Bullsnake | D: D !! |
| Fishes | Lake Sturgeon | Banded Killifish | River Redhorse |
| | Western Sand Darter | | Redfin Shiner |
| | Black Buffalo | | Greater Redhorse |
| | Paddlefish | | Pugnose Shiner |
| | Shoal Chub (Speckled Chub) | | |
| | Least Darter | | |

Table 3-21. Vertebrate Species of Greatest Conservation Need occurring in the Southeast Glacial Plain

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|---------|--|--|---|
| Mammals | Franklin's Ground Squirrel | Northern Long-eared Bat | Water Shrew |
| | | Prairie Vole | |
| | | Eastern Red Bat | |
| | | Woodland Vole | |
| | | Silver-haired Bat | |
| | | Hoary Bat | |
| Birds | Red-necked Grebe | Snowy Egret | Horned Grebe |
| Dilus | American Bittern | Yellow-crowned Night-Heron | Trumpeter Swan |
| | Blue-winged Teal | Red-shouldered Hawk | American Black Duck |
| | Canvasback | Northern Bobwhite | |
| | | | Osprey |
| | Redhead | Solitary Sandpiper | Bald Eagle |
| | Lesser Scaup | Upland Sandpiper | Barn Owl |
| | Northern Harrier | Whimbrel | Black-throated Blue Warbler |
| | King Rail | Marbled Godwit | Kentucky Warbler |
| | Whooping Crane | Wilson's Phalarope | Canada Warbler |
| | American Golden Plover | Whip-poor-will | Red Crossbill |
| | Hudsonian Godwit | Veery | |
| | Dunlin | Loggerhead Shrike | |
| | Buff-breasted Sandpiper | Bell's Vireo | |
| | Short-billed Dowitcher | Golden-winged Warbler | |
| | American Woodcock | Yellow-throated Warbler | |
| | Common Tern | Lark Sparrow | |
| | Forster's Tern | | |
| | Black Tern | | |
| | Black-billed Cuckoo | | |
| | Yellow-billed Cuckoo | | |
| | Short-eared Owl | | |
| | Red-headed Woodpecker | | |
| | Acadian Flycatcher | | |
| | Willow Flycatcher | | |
| | Least Flycatcher | | |
| | Wood Thrush | | |
| | Brown Thrasher | | |
| | Blue-winged Warbler | | |
| | Cerulean Warbler | | |
| | Prothonotary Warbler | | |
| | Louisiana Waterthrush | | |
| | Hooded Warbler | | <u> </u> |
| | Dickcissel | 1 | |
| | Field Sparrow | | |
| | Vesper Sparrow | | |
| | Grasshopper Sparrow | 1 | + |
| | Henslow's Sparrow | | |
| | Bobolink | | |
| | Eastern Meadowlark | | |
| | | | _ |
| | Western Meadowlark | | |
| | Rusty Blackbird | | |

Table 3-21 continued

| | Species with a high degree of | Species with a moderate degree | Species with a low degree of |
|-----------|----------------------------------|-------------------------------------|-------------------------------------|
| | probability of occurring in this | of probability of occurring in this | probability of occurring in this |
| | Ecological Landscape | Ecological Landscape | Ecological Landscape |
| Herptiles | Blanding's Turtle | Yellow-bellied Racer | Blanchard's Cricket Frog |
| | Ornate Box Turtle | Mudpuppy | Western Ribbon Snake |
| | Pickerel Frog | | |
| | Four-toed Salamander | | |
| | Eastern Massasauga Rattlesnak | е | |
| | Northern Ribbon Snake | | |
| | Butler's Garter Snake | | |
| | Queen Snake | | |
| Fishes | Slender Madtom | Black Buffalo | American Eel |
| | Ozark Minnow | Western Sand Darter | |
| | Gravel Chub | Banded Killifish | |
| | Redside Dace | Pugnose Shiner | |
| | Lake Sturgeon | | |
| | Least Darter | | |
| | River Redhorse | | |
| | Redfin Shiner | | |
| | Greater Redhorse | | |
| | Starhead Topminnow | | |
| | Lake Chubsucker | | |
| | Longear Sunfish | | |

Table 3-22. Vertebrate Species of Greatest Conservation Need occurring in the Southern Lake Michigan Coastal

| | Species with a high degree of probability of occurring in this Ecological Landscape | Species with a moderate degree of probability of occurring in this Ecological Landscape | Species with a low degree of probability of occurring in this Ecological Landscape |
|-----------|--|--|---|
| Mammals | Franklin's Ground Squirrel | Prairie Vole | Northern Long-eared Bat |
| | - | | Eastern Red Bat |
| | | | Woodland Vole |
| | | | Silver-haired Bat |
| | | | Hoary Bat |
| | | | Water Shrew |
| Birds | Horned Grebe | American Bittern | Canvasback |
| | Lesser Scaup | Yellow-crowned Night-Heron | Osprey |
| | Peregrine Falcon | Blue-winged Teal | Bald Eagle |
| | Whimbrel | Northern Harrier | Red-shouldered Hawk |
| | Dunlin | King Rail | American Golden Plover |
| | Buff-breasted Sandpiper | Piping Plover | Upland Sandpiper |
| | Short-billed Dowitcher | Solitary Sandpiper | Caspian Tern |
| | Forster's Tern | Hudsonian Godwit | Barn Owl |
| | Black Tern | Marbled Godwit | Acadian Flycatcher |
| | Willow Flycatcher | American Woodcock | Least Flycatcher |
| | Wood Thrush | Black-billed Cuckoo | Veery |
| | Brown Thrasher | Yellow-billed Cuckoo | Loggerhead Shrike |
| | Dickcissel | Short-eared Owl | Black-throated Blue Warbler |
| | Field Sparrow | Red-headed Woodpecker | Canada Warbler |
| | Vesper Sparrow | Bell's Vireo | Western Meadowlark |
| | Henslow's Sparrow | Blue-winged Warbler | |
| | Bobolink | Grasshopper Sparrow | |
| | Eastern Meadowlark | Rusty Blackbird | |
| Herptiles | Blanding's Turtle | Eastern Massasauga Rattlesnake | Pickerel Frog |
| - | Butler's Garter Snake | Queen Snake | Four-toed Salamander |
| | Mudpuppy | | |
| Fishes | Striped Shiner | Lake Sturgeon | Least Darter |
| | | Greater Redhorse | Redfin Shiner |
| | | | Lake Chubsucker |
| | | | Longear Sunfish |
| | | | Banded Killifish |
| | | | American Eel |